

FY2025 Notice of COVID-19 Vaccination

【Please read and understand the following carefully and receive vaccination only when you are in good health..】

This vaccination can be administered only if the individual wishes to receive it. There is no obligation to receive this vaccination, and, in principle, those who do not wish to be vaccinated are not required to receive it.

Implementation Period : **From October 1 (Wed.), 2025 to March 31 (Tue.), 2026**

- Eligible persons :
- ① Persons aged 65 or older who are registered residents of Adachi City as of the date of vaccination.
 - ② Persons aged 60 or older and under 65 who are registered residents of Adachi City as of the date of vaccination and who have a disability in the functions of the heart, kidney, or respiratory organs, or have an immune disorder caused by human immunodeficiency virus. (comparable to a Level 1 Physical Disability Certificate)
 - ※ Under the Immunization Act, persons whose birthday fall on an eligible age (60 or 65 years old) can get vaccinated **from the day before their birthday. If you wish to receive vaccination earlier than that, refer to the separate information sheet "For persons who are 59 or 64 years old as of October 2."**
 - ※ Those who do not apply to conditions above ① or ② as of vaccination date are not eligible for the routine vaccination.
 - ※ Unlike influenza and pneumococcal vaccines, individuals recognized as victims of public pollution must bring the enclosed vaccination screening questionnaire when receiving the COVID-19 vaccine at a medical facility. For information about the compensation system for pollution-related health damage and differences in vaccination methods compared to other vaccines, please contact the Pollution and Health Subsection (Tel. 03-3880-5893), Hygiene Management Section, Adachi City.

Types of vaccines: The types of vaccines vary by the medical institution. If you would like to check in advance, please contact the respective medical institution

Vaccination Fee: **Free of charge**

Vaccination place: Refer to **the separate sheet, "List of the designated medical institutions for FY2025 COVID-19 vaccination"**

- ※ The start date for vaccinations varies depending on the medical institution. If you wish to receive the vaccination, please contact the medical institution directly in advance.
- ※ Persons who meet conditions ① or ② may also receive the vaccination at designated medical institutions in the 23 cities of Tokyo. If you wish to get vaccinated outside Adachi City, please check in advance whether the institution is a designated medical institution in that city. Those aged 59 and 64 can receive the vaccination only at medical institutions within Adachi City.
- ※ Some medical institutions may have specific days and times for vaccination, may have a shortage of vaccine in stock, may require reservations, may only accept their regular patients, or may be subject to changes during the fiscal year. Please be sure to check with your medical institution in advance.

Vaccination method: **On the day of vaccination, fill out the section in the bold box of the "Vaccination Register and Screening Questionnaire for FY2025 COVID-19 Vaccination," and bring it to the designated medical institution.**

- ※ If the individual has paralysis or difficulty in confirming their own will and is therefore unable to sign the consent form, it is necessary for family members or the family doctor to carefully confirm the individual's intention to receive the vaccination and determine its appropriateness (If the individual's intention cannot ultimately be confirmed, the vaccination cannot be administered under the Immunization Act).

What is COVID-19 infection?

When a person with COVID-19 infection coughs or sneezes, the virus spreads into the air. COVID-19 infections are transmitted by inhaling the virus. The main symptoms of COVID-19 are fever, sore throat, and cough. If elderly people or those with underlying diseases become infected, the condition may become severe.

Prevention of COVID-19 infection

Avoid crowds as much as possible during epidemics. It is important to take enough nutrition and enough rest in your daily life and maintain good condition. Other effective measures include washing hands with soap, disinfecting fingers with alcohol-based hand sanitizer, and ensuring adequate ventilation in the home or office.

(continue to the back side)

Before vaccination

(1) General precautions

Regarding COVID-19 vaccination, please read this notice carefully to understand necessity and its adverse reactions. If you have any concerns or questions, consult with a doctor or nurse before vaccination. If you are not convinced, do not get vaccination.

The vaccine screening questionnaire is important information for the doctor to decide whether or not to vaccinate. The person receiving vaccination must fill it out with responsibility and provide the correct information to the vaccinating doctor.

(2) Persons who cannot receive vaccination

- ① Those who clearly have a high fever (usually, over 37.5°C temperature)
- ② Those who have a serious acute illness
Those who need to take medicine due to an acute illness may not be able to understand changes in the illness afterwards, so it is a general rule to suspend vaccination on the day
- ③ Those with a history of severe hypersensitivity to vaccine ingredients, such as anaphylaxis.
Those with anaphylaxis, or multiple symptoms that make one suspect anaphylaxis, including systematic skin and mucous membrane symptoms, wheezing, difficulty breathing, tachycardia, and blood pressure drop
- ④ Other cases such that the doctor decides it is inappropriate
Even if you do not correspond to ①~③ mentioned above, if the doctor decides the vaccination is inappropriate, you cannot receive vaccination.

(3) Persons who must consult a family doctor when receiving the vaccination

- ① Those who are undergoing coagulation therapy, thrombocytopenia, or with coagulopathy
- ② Those who have been diagnosed with immunodeficiency in the past or who have close relatives with congenital immunodeficiency.
- ③ Those with underlying diseases such as heart, blood vessel, kidney, liver, blood diseases or developmental disorders
- ④ Those who have developed the symptom that indicates the allergic response, such as developing fever, systematic rash within two days after vaccination at the time of the past vaccination
- ⑤ Those who have a history of convulsion
- ⑥ Those who may be allergic to any of the ingredients of this vaccine

(4) Interval between COVID-19 vaccination and other vaccines

Concurrent administration of the COVID-19 vaccine and other vaccines (influenza, pneumococcal vaccines, or others) is possible if a doctor specifically deems it necessary. In addition, there are no restrictions on the interval with other vaccinations.

Precautions for post-vaccination

- ① The acute adverse reactions could occur during 30 minutes after vaccination. Make sure you can contact a doctor (medical institution) when it is needed.
- ② Keep injection site clean. You can take a bath on the day of vaccination. However, do not rub the injection site.
- ③ Avoid hard exercise and heavy drinking on the day of vaccination.

Adverse reactions of vaccination

After receiving the vaccine, you may experience pain at the injection mark, fatigue, fever, headache, or joint pain. They will usually be cured in a couple of days. If these symptoms are severe or persist, please consult a doctor (medical institution).

About Relief System for Health Damage caused by Vaccination

If you suffer health damage from the side reactions of this vaccination to the level that you will be left with a disability and your daily life will be impaired, you may be eligible for damage relief (medical expenses or disability pension) under the Immunization Act for the routine vaccinations and damage relief under the Act on Pharmaceuticals and Medical Devices Agency, Incorporated Administrative Agency for the voluntary vaccinations.

◆Inquiries◆

Inquiry Call Adachi 3880-0039

From 8:00 a.m. to 8:00 p.m. (Every day except from January 1 to 3)